








	Part	Raw material	Notes
	Tip – dental tissue management applications (Healthcare)	PP – colored	<ul style="list-style-type: none"> • Length: 43mm • Tip OD: 0,4mm • Tip ID: 0,2mm • Tip wall thickness: 0,1mm • Weight: 0,22g
	Eye retina surgery tip	PP - raw	<ul style="list-style-type: none"> • ID: 0,6mm with thickness 0,17mm • Wall thickness at tip: 0,1mm • Weight: 0,1g • Two core pins “têt-a-têt”
	Contact holder – hearing aid device (Healthcare)	LCP	<ul style="list-style-type: none"> • Dimensions: 7 x 5,8 x 1mm • Weight: 0,1g

	Part	Raw material	Notes
	<p>Double deck gear – precision mechanics</p>	<p>POM</p>	<ul style="list-style-type: none"> • Main gear OD: 2,65mm (20 teeth) • Secondary gear OD: 1,18mm (10 teeth) • Height: 0,6mm • Weight: 0,002g
	<p>Spanish Guitar – demo sample</p>	<p>PP - raw</p>	<ul style="list-style-type: none"> • Length: 22mm • Thickness: 0,3mm • Cord details: 0,06mm • Weight: 0,02g
	<p>Helm – demo sample</p>	<p>PE - raw</p>	<ul style="list-style-type: none"> • Thickness: 1mm • Weight: 0,08g • Details written along the part: <i>“Cap fred, cor calent, puny ferm, peus a terra”</i>

	Part	Raw material	Notes
	Tensile bar – demo sample	PA6	<ul style="list-style-type: none">• Length: 15mm• Thickness: 0,75mm• Weight: 0,02g
			